

SIERRA PARK WATER COMPANY, INC.
Water Quality Sampling Results
WELL 06 (5510016-007)

Storet Number	Group/Constituent Identification	Sampling Date	XMOD	Result	MCL	DLR	Trigger	Unit
01055	MANGANESE	2005-09-28		284	50	20	50	UG/L
01055	MANGANESE	2009-06-10		205	50	20	50	UG/L
01055	MANGANESE	2009-07-08		252	50	20	50	UG/L
01055	MANGANESE	2010-10-26		328	50	20	50	UG/L
01055	MANGANESE	2012-07-23		376	50	20	50	UG/L
01055	MANGANESE	2013-05-23		297	50	20	50	UG/L
01055	MANGANESE	2013-09-25		307	50	20	50	UG/L
01055	MANGANESE	2014-02-12		202	50	20	50	UG/L
01055	MANGANESE	2014-09-17		348	50	20	50	UG/L
01055	MANGANESE	2014-11-24		170	50	20	50	UG/L
01055	MANGANESE	2015-03-04		224	50	20	50	UG/L
01055	MANGANESE	2015-06-10		463	50	20	50	UG/L
01055	MANGANESE	2015-09-29		294	50	20	50	UG/L
01055	MANGANESE	2015-11-18		327	50	20	50	UG/L
01055	MANGANESE	2016-02-10		252	50	20	50	UG/L
01055	MANGANESE	2016-05-18		292	50	20	50	UG/L
01055	MANGANESE	2016-08-30		161	50	20	50	UG/L
01055	MANGANESE	2016-11-29		322	50	20	50	UG/L
01055	MANGANESE	2017-02-08		218	50	20	50	UG/L
01055	MANGANESE	2017-06-13		317	50	20	50	UG/L
01055	MANGANESE	2017-09-27		310	50	20	50	UG/L
01055	MANGANESE	2017-11-27		282	50	20	50	UG/L
01055	MANGANESE	2018-02-15		298	50	20	50	UG/L
01055	MANGANESE	2018-05-22		238	50	20	50	UG/L
01055	MANGANESE	2018-08-23		282	50	20	50	UG/L
01055	MANGANESE	2018-08-30		254	50	20	50	UG/L
01055	MANGANESE	2018-11-01		248	50	20	50	UG/L
01055	MANGANESE	2018-11-01		215	50	20	50	UG/L
01055	MANGANESE	2019-02-07		241	50	20	50	UG/L
01055	MANGANESE	2019-05-03		280	50	20	50	UG/L
01055	MANGANESE	2019-08-30		261	50	20	50	UG/L
01055	MANGANESE	2019-11-26		278	50	20	50	UG/L
01055	MANGANESE	2020-02-19		247	50	20	50	UG/L
01055	MANGANESE	2020-05-27		277	50	20	50	UG/L
01055	MANGANESE	2020-08-19		160	50	20	50	UG/L
01055	MANGANESE	2020-11-25		281	50	20	50	UG/L
01055	MANGANESE	2021-02-25		154	50	20	50	UG/L

SIERRA PARK WATER COMPANY, INC.
Water Quality Sampling Results
WELL O5 (5510016-006)

Storet Number	Group/Constituent Identification	Sampling Date	XMOD	Result	MCL	DLR	Trigger	Unit
01055	MANGANESE	1989-12-05		117	50	10	50	UG/L
01055	MANGANESE	1993-03-31	<	.0000	50	10	50	UG/L
01055	MANGANESE	1999-11-09		246	50	20	50	UG/L
01055	MANGANESE	2002-06-18		200	50	20	50	UG/L
01055	MANGANESE	2005-09-28		165	50	20	50	UG/L
01055	MANGANESE	2009-06-10		159	50	20	50	UG/L
01055	MANGANESE	2009-07-08		173	50	20	50	UG/L
01055	MANGANESE	2010-10-28		192	50	20	50	UG/L
01055	MANGANESE	2012-07-23		264	50	20	50	UG/L
01055	MANGANESE	2013-05-30		174	50	20	50	UG/L
01055	MANGANESE	2013-09-25		186	50	20	50	UG/L
01055	MANGANESE	2014-05-21		141	50	20	50	UG/L
01055	MANGANESE	2014-11-24		125	50	20	50	UG/L
01055	MANGANESE	2015-03-04		129	50	20	50	UG/L
01055	MANGANESE	2015-06-10		280	50	20	50	UG/L
01055	MANGANESE	2015-09-29		167	50	20	50	UG/L
01055	MANGANESE	2015-11-18		201	50	20	50	UG/L
01055	MANGANESE	2016-02-10		161	50	20	50	UG/L
01055	MANGANESE	2016-05-18		175	50	20	50	UG/L
01055	MANGANESE	2016-08-30		263	50	20	50	UG/L
01055	MANGANESE	2016-11-29		197	50	20	50	UG/L
01055	MANGANESE	2017-02-08		124	50	20	50	UG/L
01055	MANGANESE	2017-06-13		194	50	20	50	UG/L
01055	MANGANESE	2017-09-27		198	50	20	50	UG/L
01055	MANGANESE	2017-11-27		176	50	20	50	UG/L
01055	MANGANESE	2018-02-15		193	50	20	50	UG/L
01055	MANGANESE	2018-05-21		235	50	20	50	UG/L
01055	MANGANESE	2018-08-23		275	50	20	50	UG/L
01055	MANGANESE	2018-08-30		153	50	20	50	UG/L
01055	MANGANESE	2018-11-01		215	50	20	50	UG/L
01055	MANGANESE	2019-02-07		148	50	20	50	UG/L
01055	MANGANESE	2019-05-03		128	50	20	50	UG/L
01055	MANGANESE	2019-08-30		135	50	20	50	UG/L
01055	MANGANESE	2019-11-26		139	50	20	50	UG/L
01055	MANGANESE	2020-02-19		157	50	20	50	UG/L
01055	MANGANESE	2020-05-27		130	50	20	50	UG/L
01055	MANGANESE	2020-08-19		247	50	20	50	UG/L
01055	MANGANESE	2020-11-25		181	50	20	50	UG/L
01055	MANGANESE	2021-02-25		101	50	20	50	UG/L